Brain Research, 483 (1989) 407–409
Elsevier

Author Index

Albeck, D., see Cach, R., 221
Altar, C.A. and Boyar, W.C., Brain CCK-B receptors mediate the suppression of dopamine release by cholecystokinin, 321
Amalric, M. and Koob, G.F., Dorsal pallidum as a functional motor output of the corpus striatum, 389
Ambrosio, S., see Ballarin, M., 184
Apicella, A.M., see Yoshii, F., 355
Atack, J.R., Wenk, G.L., Wagster, M.V., Kellar, K.J., Whitehouse, P.J. and Rapoport, S.I., Bilateral changes in neocortical [^{3}H]pirenzepine and [^{3}H]oxotremorine-M binding following unilateral lesions of the rat nucleus basalis magnocellularis: an autoradiographic study, 367
Axelsson, G.A., see Ryan, A.F., 283

Ballarin, M., Reiriz, J., Ambrosio, S., Camps, M., Blesa, R. and Mahy, N., Acute effects of 1-methyl-1,4-phenylpyridinium ion (MPP^+) on purine metabolism in rat striatum studied in vivo using the microdialysis techniques, 184
Bandler, R., see Carrive, P., 251
Barker, W.W., see Yoshii, F., 355
Blair, R.E., see Taft, W.C., 143
Blander, A. and Wise, R.A., Anatomical mapping of brains stimulation reward sites in the anterior hypothalamic area: special attention to the stria medullaris, 12
Blesa, R., see Ballarin, M., 184
Boothe, T.E., see Yoshii, F., 355
Boyar, W.C., see Altar, C.A., 321
Braverman, S., see Ryan, A.F., 283
Buonamici, M., see Missale, C., 117

Cach, R., Durboraw, C., Smock, T. and Albeck, D., Microvascular spasm is mediated by vasopressin fibers in the rat hippocampal slice, 221
Camps, M., see Ballarin, M., 184
Camps, M., see Cortés, R., 30
Carden, S.E. and Coons, E.E., Diazepam modulates lateral hypothalamic self-stimulation but not stimulation-escape in rats, 327
Carrive, P., Bandler, R. and Dampney, R.A.L., Somatic and autonomic integration in the midbrain of the unanesthetized decerebrate cat: a distinctive pattern evoked by excitation of neurones in the subtentorial portion of the midbrain periaqueductal grey, 251
Chang, J.Y., see Yoshii, F., 355
Charnay, Y., see Najimi, M., 205
Charpak, S., Dubois-Dauphin, M., Raggenbass, M. and Dreifuss, J.J., Vasopressin excites neurones located in the dorsal cochlear nuclear of the guinea-pig brainstem, 164
Chayvialle, J.A., see Najimi, M., 205
Chen, S. and Su, H.-S., Selective labeling by propidium iodide injected into the lateral cerebral ventricle of the rat, 379
Chigr, F., see Najimi, M., 205
Choi, D.W., see Monyer, H., 347
Clifton, G.L., see Taft, W.C., 143
Coons, E.E., see Carden, S.E., 327
Coons, E.E., see Miserendino, M.J.D., 226
Coons, E.E., see Miserendino, M.J.D., 233
Cortés, R., Camps, M., Gueye, B., Probst, A. and Palacios, J.M., Dopamine receptors in human brain: autoradiographic distribution of D_1 and D_2 sites in Parkinson syndrome of different etiology, 30

Dairman, W., see Sabri, M.I., 1
Dampney, R.A.L., see Carrive, P., 251
Deas, J. and Erecińska, M., Effect of tunicamycin, an inhibitor of protein glycosylation, on the high-affinity transport of acidic amino acid neurotransmitters in C6 glioma cells, 84
DeLorenzo, R.J., see Taft, W.C., 143
Dietl, M.M., Sanchez, M., Probst, A. and Palacios, J.M., Substance P receptors in the human spinal cord: decrease in amyotrophic lateral sclerosis, 39
Di Scala, G. and Sandner, G., Conditioned place aversion produced by microinjections of semicarbazide into the periaqueductal gray of the rat, 91
Djupsjöbacka, M., see Sojka, P., 177
Dreifuss, J.J., see Charpak, S., 164
Duara, R., see Yoshii, F., 355
Dubois-Dauphin, M., see Charpak, S., 164
Dubuc, R. and Grillner, S., The role of spinal cord inputs in modulating the activity of reticulospinal neurons during fictive locomotion in the lamprey, 196
Durboraw, C., see Cach, R., 221

Ellinwood Jr., E.H., see Lee, T.H., 17
Enkele, J., Pilgrim, C., Kirsch, M. and Reisert, I., Different developmental potentials of diencephalic and mesencephalic dopaminergic neurons in vitro, 98
Erecińska, M., see Deas, J., 84

Fenton, M., see Sabri, M.I., 1
Fields, H.L., see Haws, C.M., 272
Flanigan, T.P., see Wharton, J., 170

Gash, D.M., see Marciano, F.F., 135
Gerstein, G.L., see Lindsey, B.G., 373
Ginsberg, M.D., see Yoshii, F., 355
Globus, M.Y.-T., see Yoshii, F., 355
Goldberg, M.P., see Monyer, H., 347
Goldstone, A.D., see Koenig, H., 110
Gordon, L., see Wharton, J., 170
Grillner, S., see Dubuc, R., 196
Gueye, B., see Cortés, R., 30

Hamamura, T., Kazahaya, Y. and Otsuki, S., Ceruletide suppresses endogenous dopamine release via vagal afferent system, studied by in vivo intracerebral dialysis, 78
Handa, R.J. and Resko, J.A., α-Adrenergic regulation of androgen receptor concentration in the preoptic area of the rat, 312
Haws, C.M., Williamson, A.M. and Fields, H.L., Putative nociceptive modulatory neurons in the dorsolateral pontomesencephalic reticular formation, 272
Hayashi, Y., see Nagata, T., 50
Heizmann, C.W., see Kosaka, T., 158

Herrick-Davis, K., Maisonneuve, I.M. and Titeler, M., Postsynaptic localization and up-regulation of serotonin 5-HT_{1D} receptors in rat brain, 155
Hirokawa, N., see Okabe, S., 335
Holtzman, D., McFarland, E., Moerland, T., Koutcher, J., Kushmerick, M.J. and Neuringer, L.J., Brain creatine phosphate and creatine kinase in mice fed an analogue of creatine, 68

Ingenito, G., see Yoshii, F., 355

Johansson, H., see Sojka, P., 177
Johnson, S.N., see Zahm, D.S., 301
Jordan, D., see Najimi, M., 205
Juhasz, L., see Sabri, M.I., 1

Kazahaya, Y., see Hamamura, T., 78
Kellar, K.J., see Atack, J.R., 367
Kelley, R.E., see Yoshii, F., 355
Kirsch, M., see Enkele, J., 98
Koenig, H., Goldstone, A.D. and Lu, C.Y., Polyamines mediate the reversible opening of the blood–brain barrier by the intracarotid infusion of hyperosmolal mannitol, 110
Koob, G.F., see Amalric, M., 389
Kopp, N., see Najimi, M., 205
Kosaka, T. and Heizmann, C.W., Selective staining of a population of parvalbumin-containing GABAergic neurons in the rat cerebral cortex by lectins with specific affinity for terminal N-acetylgalactosamine, 158
Koutcher, J., see Holtzman, D., 68
Kuriyama, K., see Taguchi, J.-I., 395
Kuriyama, T., see Taguchi, J.-I., 395
Kushmerick, M.J., see Holtzman, D., 68

LaHoste, G.J., Neveu, P.J., Mormède, P. and Le Moal, M., Hemispheric asymmetry in the effects of cerebral cortical ablations on mitogen-induced lymphoproliferation and plasma prolactin levels in female rats, 123
Leduque, P., see Najimi, M., 205
Lee, T.H. and Ellinwood Jr., E.H., Time-dependent changes in the sensitivity of dopamine neurons to low doses of apomorphine following amphetamine infusion, 17
Le Moal, M., see LaHoste, G.J., 123
Liberini, P., see Missale, C., 117
Lindsey, B.G., Shannon, R. and Gerstein, G.L., Gravitational representation of simultaneously recorded brainstem respiratory neuron spike trains, 373
Lönnberg, P., see Rinne, J.O., 402
Lorentzon, R., see Sojka, P., 177
Lu, C.Y., see Koenig, H., 110

MacVicar, B.A., see Williams, P.J., 130
Mahy, N., see Ballarin, M., 184
Maisonneuve, I.M., see Herrick-Davis, K., 155
Marciano, F.F., Wiegand, S.J., Sladek Jr., J.R. and Gash, D.M., Fetal hypothalamic transplants promote survival and functional regeneration of axotomized adult supraoptic magnocellular neurons, 135
Marjamäki, P., see Rinne, J.O., 402
Matsuno, K., see Nagata, T., 50
McFarland, E., see Holtzman, D., 68
Memo, M., see Missale, C., 117
Miserendino, M.J.D. and Coons, E.E., Electrical stimulation of the medial prefrontal cortex supports both 'pure reward' and 'reward-escape' behavior in rats, 226
Miserendino, M.J.D. and Coons, E.E., Hedonic interactions of medial prefrontal cortex and nucleus reticularis gigantocellularis, 233
Missale, C., Nisoli, E., Liberini, P., Rizzonelli, P., Memo, M., Buonamici, M., Rossi, A. and Spano, P.F., Repeated reserpine administration up-regulates the transduction mechanisms of D_1 receptors without changing the density of [^{3}H]SCH 23390 binding, 117
Moerland, T., see Holtzman, D., 68
Monyer, H., Goldberg, M.P. and Choi, D.W., Glucose deprivation neuronal injury in cortical culture, 347
Moore, S.E., see Wharton, J., 170
Mormède, P., see LaHoste, G.J., 123

Nagata, T., Tsukamoto, Y., Matsuno, K. and Hayashi, Y., Effects of kainic acid lesions in rat ventral lateral geniculate nucleus upon field potentials of the superior colliculus: correlation between morphological and physiological observations, 50
Najimi, M., Chigr, F., Leduque, P., Jordan, D., Charnay, Y., Chayvialle, J.A., Tohyama, M. and Kopp, N., Immunohistochemical distribution of somatostatin in the infant hypothalamus, 205
Neuringer, L.J., see Holtzman, D., 68
Neveu, P.J., see LaHoste, G.J., 123
Ng, T., see Sabri, M.I., 1
Nisoli, E., see Missale, C., 117
Norman, A.B., Thomas, S.R., Pratt, R.G., Samaratunga, R.C. and Sanberg, P.R., Magnetic resonance imaging of rat brain following kainic acid-induced lesions and fetal striatal tissue transplants, 188

Ohmori, Y., see Taguchi, J.-I., 395
Okabe, S., Shiomura, Y. and Hirokawa, N., Immunocytochemical localization of microtubule-associated proteins 1A and 2 in the rat retina, 335
Otsuki, S., see Hamamura, T., 78

Palacios, J.M., see Cortés, R., 30
Palacios, J.M., see Dietl, M.M., 39
Pellegrini, M., Simoni, A. and Pellegrino, M., Two types of K^+ channels in excised patches of somatic membrane of the leech AP neuron, 294
Pellegrino, M., see Pellegrini, M., 294
Pilgrim, C., see Enkele, J., 98
Pittman, Q.J., see Williams, P.J., 130
Polak, J.M., see Wharton, J., 170
Pratt, R.G., see Norman, A.B., 188
Probst, A., see Cortés, R., 30
Probst, A., see Dietl, M.M., 39

Raggenbass, M., see Charpak, S., 164
Ramberg, D.A. and Yaksh, T.L., Effects of cervical spinal hemisection on dihydromorphine binding in brainstem and spinal cord in cat, 61
Rapoport, S.I., see Atack, J.R., 367
Reiriz, J., see Ballarin, M., 184
Reisert, I., see Enkele, J., 98
Resko, J.A., see Handa, R.J., 312
Rinne, J.O., Lönnberg, P., Marjamäki, P. and Rinne, U.K., Brain muscarinic receptor subtypes are differently affected in Alzheimer's disease and Parkinson's disease, 402
Rinne, U.K., see Rinne, J.O., 402

Rizzonelli, P., see Missale, C., 117
Robinson, P.P., The reinnervation of the tongue and salivary glands after lingual nerve injuries in cats, 259
Rossi, A., see Missale, C., 117
Ryan, A.F., Braverman, S., Woolf, N.K. and Axelsson, G.A., Auditory neural activity evoked by pure-tone stimulation as a function of intensity, 283

Sabri, M.I., Dairman, W., Fenton, M., Juhasz, L., Ng, T. and Spencer, P.S., Effect of exogenous pyruvate on acrylamide neuropathy in rats, 1
Samaratunga, R.C., see Norman, A.B., 188
Sanberg, P.R., see Norman, A.B., 188
Sanchez, M., see Dietl, M.M., 39
Sandner, G., see Di Scala, G., 91
Sanghera, M.K., Electrophysiological and pharmacological properties of putative A13 incertohypothalamic dopamine neurons in the rat, 361
Shannon, R., see Lindsey, B.G., 373
Shiomura, Y., see Okabe, S., 335
Shioya, M. and Tanaka, J., Inputs from the nucleus of the solitary tract to subfornical organ neurons projecting to the paraventricular nucleus in the rat, 192
Shrager, P., Sodium channels in single demyelinated mammalian axons, 149
Shuntoh, H., Taniyama, K. and Tanaka, C., Involvement of protein kinase C in the Ca^{2+}-dependent vesicular release of GABA from central and enteric neurons of the guinea pig, 384
Simoni, A., see Pellegrini, M., 294
Sjölander, P., see Sojka, P., 177
Sladek Jr., J.R., see Marciano, F.F., 135
Smock, T., see Cach, R., 221
Sojka, P., Johansson, H., Sjölander, P., Lorentzon, R. and Djupsjöbacka, M., Fusimotor neurones can be reflexly influenced by activity in receptor afferents from the posterior cruciate ligament, 177
Spano, P.F., see Missale, C., 117
Spencer, P.S., see Sabri, M.I., 1
Su, H.-S., see Chen, S., 379

Taft, W.C., Clifton, G.L., Blair, R.E. and DeLorenzo, R.J., Phenytoin protects against ischemia-produced neuronal cell death, 143
Taguchi, J.-I., Kuriyama, T., Ohmori, Y. and Kuriyama, K., Immunohistochemical studies on distribution of $GABA_A$ receptor complex in the rat brain using antibody against purified $GABA_A$ receptor complex, 395
Tanaka, C., see Shuntoh, H., 384
Tanaka, J., see Shioya, M., 192
Taniyama, K., see Shuntoh, H., 384
Thomas, S.R., see Norman, A.B., 188
Titeler, M., see Herrick-Davis, K., 155
Tohyama, M., see Najimi, M., 205
Tsukamoto, Y., see Nagata, T., 50

Von Klitzing, L., Static magnetic fields increase the power intensity of EEG of man, 201

Wagster, M.V., see Atack, J.R., 367
Walsh, F.S., see Wharton, J., 170
Wenk, G.L., see Atack, J.R., 367
Wharton, J., Gordon, L., Walsh, F.S., Flanigan, T.P., Moore, S.E. and Polak, J.M., Neural cell adhesion molecule (N-CAM) expression during cardiac development in the rat, 170
Whitehouse, P.J., see Atack, J.R., 367
Wiegand, S.J., see Marciano, F.F., 135
Williams, P.J., MacVicar, B.A. and Pittman, Q.J., Identification of a GABA-activated chloride-mediated synaptic potential in rat pars intermedia, 130
Williamson, A.M., see Haws, C.M., 272
Wise, R.A., see Blander, A., 12
Woolf, N.K., see Ryan, A.F., 283

Yaksh, T.L., see Ramberg, D.A., 61
Yoshii, F., Ginsberg, M.D., Kelley, R.E., Chang, J.Y., Barker, W.W., Ingenito, G., Apicella, A.M., Globus, M.Y.-T., Duara, R. and Boothe, T.E., Asymmetric somatosensory activation with right- vs left-hand stimulation: a positron emission tomographic study, 355

Zahm, D.S. and Johnson, S.N., Asymmetrical distribution of neurotensin immunoreactivity following unilateral injection of 6-hydroxydopamine in rat ventral tegmental area (VTA), 301